

creating better environments



linoflex

















LINOLEUM

Forbo

FLOORING SYSTEMS





Technical specifications

Linoflex® meets the requirement of EN-ISO 24011

			Linoflex® 2.0 mm	Linoflex® 2.5 mm
	Total thickness	EN-ISO 243462	2.0 mm	2.5 mm
	Domestic use	EN-ISO 10874	23	23
	Commercial use	EN-ISO 10874	32	34
	Industrial use	EN-ISO 10874	41	42
	Roll width	EN-ISO 24341	2.0 m	2.0 m
	Roll length	EN-ISO 24341	≤ 32 m	≤ 32 m
	Slip resistance	DIN 51130	R9	R9
	Impact sound reduction	EN-ISO 717-2	≤ 4 dB	≤ 5 dB
	Castor chair resistance	EN 425	✓	✓
	Residual indentation	EN-ISO 24343-1	≤ 0.15 mm	≤ 0.15 mm
	Colour fastness to light	EN-ISO 105-B02	≤ 6	≤ 6
	Resistance to chemicals	EN-ISO 26787	✓	✓
	Bacteriostatic properties		✓	✓
	Flexibility	EN-ISO 24344	ø 30 mm	ø 40 mm
	Cigarette resistance	EN 1399	✓	✓
	Life Cycle Assessment		✓	✓

Linoflex® meets the requirement of EN 14041



	Reaction to fire	EN 13501 -1	C _{fl} -s1	C _{fl} -s1
	Slip resistance	EN 13893	DS: ≥ 0.30	DS: ≥ 0.30
	Body voltage	EN 1815	< 2kV	< 2kV
	Thermal conductivity	EN 12524	0.17 W/m·K	0.17 W/m·K

Belgium

Forbo Flooring
t Hofveld 4
1702 Groot-Bijgaarden
Tel: +32 2 464 10 10
Fax: +32 2 464 10 11
info.belgium@forbo.com
www.forbo-flooring.be

Danmark

Forbo Flooring A/S
Produktionsvej 14
2600 Glostrup
Tlf.: 44 92 85 00
Fax: 44 92 85 20
info.denmark@forbo.com
www.forbo-flooring.dk

Norway

Forbo Flooring AS
Hagaløkkveien 7
1383 Asker
Tlf.: 66 77 12 00
Fax: 66 77 12 40
info.norway@forbo.com
www.forbo-flooring.no

Italy

Forbo Resilienti s.r.l.
Centro commerciale S. Felice
Lotto 2, int. 5
I-20090 Segrate (Mi)
Italia
Tel.: +39 02 75 31 488
Fax: +39 02 75 32 340
info.flooring.it@forbo.com
www.forbo-flooring.it

Portugal

Forbo-Revestimentos, SA
Zona Industrial da Maia I, Sector VII
Tv. Eng. Nobre da Costa, 87
Apartado 6091
4476-908 Maia
Tel: +351 229 996 900
Fax: +351 229 996 909
info.revestimentos@forbo.com
www.forbo-flooring.com.pt

Middle-East, Africa, Turkey, Greece, French overseas

Forbo Flooring Systems
63, rue Gosset - BP 2717
51100 REIMS Cedex
France
Tél. 00 333 26 77 35 00
Fax 00 333 26 07 18 93
info-produits@forbo.com
www.forbo-flooring.com

Other Countries

Forbo Flooring B.V.
P.O. Box 13
1560 AA Krommenie
The Netherlands
Tel.: +31 75 647 74 77
Fax: +31 75 647 77 01
contact@forbo.com
www.forbo-flooring.com



forbo

FLOORING SYSTEMS

creating better environments

linoflex



501

2.0 mm
2.5 mm




300

2.0 mm
2.5 mm



101

2.0 mm
2.5 mm



202

2.0 mm
2.5 mm



103

2.0 mm
2.5 mm



601

2.0 mm
2.5 mm





700

2.0 mm
2.5 mm



604

2.0 mm
2.5 mm



102

2.0 mm
2.5 mm



401

2.0 mm
2.5 mm



104

2.0 mm
2.5 mm



802

2.0 mm
2.5 mm



501

2.0 mm
2.5 mm