

# TARAFLEX™ SPORTS FLOORING

[gerflor.com](http://gerflor.com)




# WHY YOU SHOULD CHOOSE TARAFLEX™ ?

## FOR PROTECTION

**THE PROTECTION** is the property of the floor that reduces the **immediate injury risks** to all users when falling, diving or sliding on the floor.  
Protection completes the shock absorption data to characterise a sports floor.

Now we can measure it!



## GERFLOR'S ANSWER


Gerflor offers Taraflex™ Sport M Comfort, a P3 floor with the **highest level of protection on the market.**

Sources: ETH Zurich study  
Poitiers University biomechanical study  
AFNOR recommendation letter AC P 90-205

**IPI = 88%**

## FOR SAFETY


- **SAFETY** is the property of the floor that helps to reduce long term injury risks. Shock absorption minimises the force at the impact on the body.
- The higher the **SHOCK ABSORPTION** the lower the long term injury risks.



With a complete range of shock absorption P1/P2/P3, Gerflor provides the right solution and the best safety for the users.

## FOR LIFE

- Taraflex™ is long lasting and high performing for the **LIFETIME OF THE FLOOR.**
- Gerflor commits to the level of shock absorption (P1/P2/P3) of the Taraflex™ sports flooring range after 10 years use of the products.



Gerflor guarantees the category of the product (P1/P2/P3) after 10 years use.



# TARAFLEX™ SPORTS FLOORING

[gerflor.com](https://gerflor.com)



**Gerflor**  
theflooringgroup



# PRODUCT SELECTION GUIDANCE



**SAFETY** Protection against long-term injuries

## APPLICATIONS

- Toddlers (0-6 years old)
- Education
- Clubs / Competitions
- Adults / Seniors / Leisure
- Multipurpose



P2



IPI = 82%



TARAFLEX™  
SPORT M PERFORMANCE

Dry-Tex™ Eco-Fit™  
SYSTEM SYSTEM

P3



IPI = 88%



TARAFLEX™  
SPORT M COMFORT

## SAFETY

Protection against **long term injuries** less shin splints, less tendonitis.

# SA%



**SA% = SHOCK ABSORPTION (EN 14904)**

25% ≤ P1 < 35%

35% ≤ P2 < 45%


45% ≤ P3

35%


45%

SA%

TARAFLEX™ SPORT M PERFORMANCE



TARAFLEX™ SPORT M COMFORT






# TURN YOUR DESIGN INTO REALITY



6381 - Maple Design / Y = 39,9




6873 - Anthracite / Y = 20,5



6159 - Pink / Y = 19,1



6559 - Spring / Y = 47,1



6830 - Black / Y = 4,2


All colours are available with Taraflex™ Surface,  
Taraflex™ Sport M Evolution, Taraflex™ Sport M Performance  
and Taraflex™ Sport M Comfort



6557 - Forest / Y = 10,9




6570 - Mint Green / Y = 16,9



6347 - Beige / Y = 39,7



6375 - Oak Design / Y = 29,7



3764 - Taupe / Y = 17,9



6180 - Red / Y = 10,9



6038 - Terracotta / Y = 19,9



6211 - Gold / Y = 45,7

Y = light reflectance values EN 13745.  
Energy saving when Y > 20.



2404 - London Light Blue / Y = 33,8



6758 - Silver Gray / Y = 36



6445 - Lagoon / Y = 25,7



6430 - Blue / Y = 8,3



6431 - Teal / Y = 21,4



6146 - Coral / Y = 28,7



# TARAFLEX™ MULTI-USE 6.2



8068 - Wood Chocolate



4453 - Wood Blue



8840 - Wood Black



4331 - Wood Natural



3708 - Wood Grey


# TECHNICAL SOLUTIONS

**DRY-TEX™ SYSTEM**  
The all in one moisture solution



✓ Only available with Taraflex™ Sport M Evolution and Taraflex™ Sport M Performance

**TARAFLEX™ ECO-FIT™**  
Fast track free-floating solution



✓ Only available with Taraflex™ Eco-Fit™ (P2, 9mm)

**TARAFLEX™ ISOLSPORT**  
Solution for renovation work and moisture barrier



**TARAFLEX™ BATECO**  
Removable protective layer



✓ Made from 100% post manufacturing recycled waste

**ASIA:** Gerflor Asia

Tel: +852 9222 6355 - Fax: +852 3006 1449

e-mail: gerflorasia@gerflor.com

**AUSTRALIA/NEW ZEALAND:** Gerflor Australasia Pty. Ltd

Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119

e-mail: gerflor@gerflor.com.au

**AUSTRIA/SWITZERLAND:** Gerflor GmbH

Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218

e-mail: austria@gerflor.com - switzerland@gerflor.com

**BELGIUM/LUXEMBURG:** Gerflor Benelux

Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14

e-mail: gerflorbel@gerflor.com

**CANADA:** Gerflor Canada

Tel: 438 333 0752

e-mail: gerflorcanada@gerflor.com

**CHINA:** Gerflor Floorings (China) co.Ltd

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998

e-mail: gerflorchina@gerflor.com

**FRANCE:** Gerflor

Service Express:

N°Azur : 0 810 569 569

N°Azur fax : 0 810 569 570

e-mail: contactfrance@gerflor.com

**GERMANY:** Gerflor Mipolam GmbH

Tel: +49 (0)22 41-25 30-0

e-mail: GerflorMipolam@gerflor.com

Kunden-Service

Tel: +49 (0)22 41-25 30 131 - Fax: +49 (0)22 41-25 30 100

e-mail: kundenservice@gerflor.com

SAT Service und Anwendungstechnik

tel: +49 (0)22 41-25 30 555 - Fax: +49 (0)22 41-25 30 550

e-mail: Technik@gerflor.com

**IRELAND:** Gerflor Ltd

Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759

e-mail: gerflorirl@gerflor.com

**ITALY:** Gerflor S.p.A.

Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84

e-mail: gerfloritalia@gerflor.com

**LATIN AMERICA** (Brazil): Gerflor América Latina

Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23

e-mail: gerflor@gerflor.com.br

**MIDDLE EAST:** Gerflor Middle East

Tel: +966 3 847 1779 - Fax: +966 3 847 1781

e-mail: gerflorME@gerflor.com

**NETHERLANDS:** Gerflor Benelux

Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89

e-mail: gerflornl@gerflor.com

**OTHER COUNTRIES:** Gerflor International

Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13

e-mail: gerflorcontract@gerflor.com

**POLAND:** Gerflor Polska Sp z o.o

Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33

e-mail: info@gerflor.pl

**PORTUGAL:** Gerflor Iberia, SA

Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44

e-mail: gerflorportugal@gerflor.com

**RUSSIA:** Gerflor Moscow Office

Tel: + 7 499 783 63 69 / 81 - Fax: + 7 499 783 62 52

e-mail: gerflorrus@mspk.east.ru

**SCANDINAVIA:** Boide Gerflor Scandinavia a.s.

Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80

e-mail: gerflorscand@gerflor.no

**SPAIN:** Gerflor Iberia, SA

Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85

e-mail: gerfloriberia@gerflor.com

**UNITED KINGDOM:** Gerflor Ltd

Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

e-mail: contractuk@gerflor.com

**USA:** Gerflor USA

Tel: 877 437 3567

e-mail: info@gerflorusa.com

gerflor.com

ARCHITECTURE  
DECORATION  
SPORT  
TECHNOSPECIFIC

**Gerflor.** Don't forget our complementary ranges!



Handrails

Wall Coverings  
& Protections

Entrance mats



Skirtings &amp; Profiles

**Gerflor.** Be CONNECTED!



www.gerflor.com



Committed to sustainable development

**Gerflor**  
theflooringroup